

## Guidelines for the Use of Antiretroviral Agents in Adults and Adolescents with HIV

Downloaded from <a href="https://aidsinfo.nih.gov/guidelines">https://aidsinfo.nih.gov/guidelines</a> on 8/31/2020

Visit the AIDSinfo website to access the most up-to-date guideline.

Register for e-mail notification of guideline updates at <a href="https://aidsinfo.nih.gov/e-news">https://aidsinfo.nih.gov/e-news</a>.

## Appendix B, Table 2. Nucleoside Reverse Transcriptase Inhibitor-Based, Fixed-Dose Combination Tablets for Use as Part of an Antiretroviral Regimen (Last updated July 10, 2019; last reviewed December 18, 2019)

The following table includes dose recommendations for FDA-approved, dual-NRTI FDC products. These FDC tablets **are not complete regimens** and must be administered in combination with other ARV drugs.

Please see the class-specific drug characteristics tables (<u>Appendix B, Tables 3 to 6</u>) for details about the individual drugs contained in these FDC products, including information on elimination and metabolic pathways, serum and intracellular half-lives, and adverse effects. The FDC tablets in this table are listed by trade name.

Trade Name (Abbreviations)	ARV Drugs Included in the FDC Tablet	Dosing Recommendation <sup>a</sup>
TAF or TDF plus an NRTI		
Descovy	Tenofovir alafenamide 25 mg/emtricitabine 200 mg	One tablet once daily
(TAF/FTC)		
Cimduo	Tenofovir disoproxil fumarate 300 mg/lamivudine 300 mg	One tablet once daily
(TDF/3TC)		
Temixys	Tenofovir disoproxil fumarate 300 mg/lamivudine 300 mg	One tablet once daily
(TDF/3TC)		
Truvada	Tenofovir disoproxil fumarate 300 mg/emtricitabine 200 mg	One tablet once daily
(TDF/FTC)		
Other NRTI-Based, FDC Tablets		
Epzicom	Abacavir 600 mg/lamivudine 300 mg	One tablet once daily
(ABC/3TC)		
Note: Generic product is available.		
Combivir	Zidovudine 300 mg/lamivudine 150 mg	One tablet twice daily
(ZDV/3TC)		
Note: Generic product is available.		

<sup>&</sup>lt;sup>a</sup> For dose adjustments in patients with renal or hepatic insufficiency, see <u>Appendix B, Table 10</u>. All FDC tablets listed in this table can be taken without regard to food.

**Key:** 3TC = lamivudine; ABC = abacavir; ARV = antiretroviral; FDA = Food and Drug Administration; FDC = fixed-dose combination; FTC = emtricitabine; NRTI = nucleoside reverse transcriptase inhibitor; TAF = tenofovir alafenamide; TDF = tenofovir disoproxil fumarate; ZDV = zidovudine